



# 1 in. Hubs - Form 4 Liquidtight Strain Relief Cord Connector, Cable Range .850 - 1.000

By Raco  
Catalog # 3704-3

1 in. Hubs - Form 4 Liquidtight Strain Relief Cord Connector,  
Cable Range .850 - 1.000



\*Representative Image

## Features

- All steel/malleable construction provides mechanical strength
- Unique Neoprene grommet design - grommet is forced up and around the cord when the nut is tightened for a positive liquidtight seal
- Washers have size range imprinted for identification - eliminates misidentifying inventory
- Use RACO locknuts and sealing washers to complete a liquidtight installation on a sheet metal box or panel
- All metallic components are zinc electroplated for corrosion protection
- UPC bar coded fittings are individually polybagged with a preprinted UPC-A bar code and packaged in pre-scored tear top cartons for an attractive presentation
- 3/8 in. to 1 in. Steel, 1-1/4 in. to 1-1/2 in. Malleable Iron bodies and nuts
- Additional sizes available

## General

Catalog Number	3704-3
Conduit Type	Liquidtight
Connector Type	Strain-Relief
EU RoHS Indicator	Contact Manufacturer
Environmental Conditions	Wet Location
Fitting Type	Connectors
Material	Steel/Malleable Iron
UPC	050169370438

## Dimensions

Dimensions	1.797 in x 1.703 in x 1.703 in
Form Size	4 in
Height	1.703 in
Length	1.797 in
Trade Size	1 in
Weight	0.341 lb
Width	1.703 in

## Conductor Related

Cable Range	.850 - 1.000 in
-------------	-----------------

## Certifications And Compliance

Buy America(n) Qualified	Contact Manufacturer
Hazardous Rating(s)	<ul style="list-style-type: none"> <li>• Class I, Division 2</li> <li>• Class II Division 1 &amp; 2</li> <li>• Class III, Division 1 &amp; 2</li> </ul>

## Logistics

Carton Quantity	25
Minimum Pack Quantity	25
Pallet Quantity	7350

## Product Assets

- [Catalogs - RACO / TayMac / Bell Full Catalog](#)
- [Catalogs - Commercial Fittings](#)
- [Product Logo - LT CORD](#)
- [SDS - HCC SDS](#)
- [Specifications - 37043](#)
- [Terms and Conditions - HCC Terms & Conditions](#)