

Product data sheet

Specifications

SQUARE D



Branch unit, EZ Meter-Pak, 225A, 3 x 7 jaw sockets, 208Y/120VAC, lever bypass, ringless, 1200A Al/ Cu busbar

EZML333225

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|-------------------------|--------------------------|
| Product | Meter Center Branch Unit |
| Current Rating | 225 A |
| Type | Meter-Pak |
| Bus Rating | 1200 A |
| Number of Jaws | 7 with jaw release |
| Number of Meter Sockets | 3 |
| Bypass Type | Lever bypass |
| Socket Type | Ringless |

Complementary

| | |
|------------------------|-------------------------------------|
| Certifications | UL Listed |
| Busbar Material | Aluminium/copper: busbar |
| Enclosure Material | Steel |
| Enclosure Rating | NEMA 3R |
| Maximum Voltage Rating | 208Y/120 V AC 240/120 V delta AC |
| Mounting | Surface |
| Phase | 3 phase in 3 phase out |
| Wire Configuration | 4-wire |
| Height | 53.06 in (1347.72 mm) |
| Width | 19.44 in (493.78 mm) |
| Depth | 9.44 in (239.78 mm) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10DE400020 |
| Discount Schedule | 0DE4 |
| GTIN | 785901408819 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|-------------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 11.00 in (27.940 cm) |
| Package 1 Width | 21.90 in (55.626 cm) |
| Package 1 Length | 54.50 in (138.430 cm) |
| Package weight(Lbs) | 170.0008 lb(US) (77.111 kg) |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 6 |
| Package 2 Height | 40.00 in (101.600 cm) |
| Package 2 Width | 42.00 in (106.680 cm) |
| Package 2 Length | 60.00 in (152.400 cm) |
| Package 2 Weight | 1020.0004 lb(US) (462.664 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) **846**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**