

Product data sheet

Specifications

SQUARE D



Main circuit breaker unit, EZ Meter-Pak, 2000A, 240VAC max, 3ph/4W, 1200A bus, 100kA, UG, Type 3R, EUSERC

EZM32000CBU

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|---------------------------|--|
| Range of Product | EZ meter-pak |
| Product or Component Type | Meter center main unit |
| Main type | Main Circuit Breaker |
| Included Items | Circuit-breaker 1) 3P 2000 A 100 kA Closing plate |

Complementary

| | |
|--------------------------------|--|
| Main rated current | 2000 A |
| Bus rated current | 1200 A |
| Enclosure Material | Painted steel |
| [Ue] rated operational voltage | 208Y/120 V AC 240/120 V delta AC |
| Device mounting | Surface |
| Number of Phases | 3 phase in 3 phase out |
| Service feed location | UG |
| Electrical connection | Lugs 1 AWG 6...300 kcmil aluminium/copper) ground Studs 1line Studs 1neutral |
| Wiring configuration | 4-wire |
| Height | 68.70 in (1744.98 mm) |
| Width | 30.19 in (766.83 mm) |
| Depth | 18.33 in (465.58 mm) |

Environment

| | |
|------------------------|---------------------|
| Product Certifications | UL Listed EUSERC |
| Enclosure Rating | NEMA 3R |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10DE400020 |
| Discount Schedule | 0DE4 |
| GTIN | 785901421726 |
| Returnability | No |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------|----|
| Country of origin | MX |
|-------------------|----|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|-----------------------|---|
| Nbr. of units in pkg. | 1 |
|-----------------------|---|

| | |
|------------------|---------------------|
| Package 1 Height | 68.70 in (174.5 cm) |
|------------------|---------------------|

| | |
|-----------------|--------------------|
| Package 1 Width | 30.20 in (76.7 cm) |
|-----------------|--------------------|

| | |
|------------------|--------------------|
| Package 1 Length | 18.35 in (46.6 cm) |
|------------------|--------------------|

| | |
|---------------------|-----------------------------|
| Package weight(Lbs) | 325.001 lb(US) (147.418 kg) |
|---------------------|-----------------------------|

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) **1277**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**