


Product data sheet

Specifications

SQUARE D



NEMA Motor Starter and contactor, Type S, auxiliary contact, 1 NC contact, internal, nonconvertible

9999SX12

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|----------------|--------------------------|
| Product Range | Type S |
| Component type | Auxiliary Contact Module |
| Used with | contactor starter |

Complementary

| | |
|-------------------------------|---|
| NEMA size | 1 0 00 2 |
| Auxiliary contact composition | 1 NC |
| [Uc] control circuit voltage | <= 600 V AC 50/60 Hz |
| Rated breaking capacity | 3 A 120 V AC inductive control circuit UL 508 1.5 A 240 V AC inductive control circuit UL 508 0.75 A 480 V AC inductive control circuit UL 508 0.6 A 600 V AC inductive control circuit UL 508 5 A <= 600 V AC resistive control circuit UL 508 |

Environment

| | |
|------------------------|-----------------------------------|
| Product Certifications | CSA UL Recognized UL Listed |
|------------------------|-----------------------------------|

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP121761 |
| Discount Schedule | 0CP1 |
| GTIN | 785901879732 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.30 in (3.302 cm) |
| Package 1 Width | 2.30 in (5.842 cm) |
| Package 1 Length | 3.00 in (7.62 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs) 1.120 oz (31.752 g)

Contractual warranty

Warranty 18 months


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Not compliant |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again

|  Repack and remanufacture | |
|---|----|
| Take-back | No |

Technical Illustration

Dimensions

