

Product data sheet

Specifications

SQUARE D



Interior, I-Line Panelboard, HCJ, 400A, main lugs, 63in CB space, for 32in W x 73in H x 9.5in D box, Cu bus

HCJ32734CU

Product availability: Stock - Normally stocked in distribution facility

Main

Range	I-Line
Product or Component Type	Interiors
Circuit Breaker Type	B-Frame J-frame H-frame Q-Frame QO
Enclosure Type	Distribution enclosure

Complementary

Main Type	Main lugs
Width	26.44 in (671.58 mm)
Height	48.02 in (1219.71 mm)
Depth	8.7 in (221.0 mm)
Localization on Device	Interior
Product Destination	Enclosure HCJ 32 in (812.8 mm) 73 in (1854.2 mm) 9.5 in (241.3 mm)
Rated Current	400 A
Number of Phases	3 phase
Mounting Space	63 in (1600.2 mm)
Bus Material	Copper: busbar
Enclosure Material	Painted steel
Tightening torque	251.98 lbf.in (28.47 N.m) 0.02...0.2 in ² (13.3...151 mm ²) (AWG 6...300 kcmil)

Environment

Standards	cULus
-----------	-------

Ordering and shipping details

Category	US1PE1A00016
Discount Schedule	PE1A
GTIN	785901475385
Returnability	Yes
Country of origin	US

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	9.25 in (23.495 cm)
Package 1 Width	30.20 in (76.708 cm)
Package 1 Length	51.00 in (129.54 cm)
Package weight(Lbs)	101.999 lb(US) (46.266 kg)


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.


[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No