

# Product data sheet

Specifications

SQUARE D



Main circuit breaker unit, EZ Meter-Pak, 1600A, 240VAC max, 3ph/4W, 1200A bus, 65kA, OH/UG, Type 3R, ERMS

EZM31600GCBCMS

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

Range of Product	EZ meter-pak
Product or Component Type	Meter center main unit
Main type	Main Circuit Breaker
Included Items	Circuit-breaker 1) 3P 1600 A 65 kA main supply, ready assembled Closing plate

## Complementary

Main rated current	1600 A
Bus rated current	1200 A
Enclosure Material	Painted steel
[Ue] rated operational voltage	208Y/120 V AC 240/120 V delta AC
Device mounting	Surface
Number of Phases	3 phase in 3 phase out
Service feed location	OH UG
Electrical connection	Lugs 1 AWG 6...300 kcmilground Lugs 6 AWG 1/0...750 kcmil copper or aluminium)
Wiring configuration	4-wire
Type of Installation	Indoor/outdoor
Height	68.91 in (1750.31 mm)
Width	30.19 in (766.83 mm)
Depth	18.31 in (465.07 mm)

## Environment

Product Certifications	UL Listed
Enclosure Rating	NEMA 3R

## Ordering and shipping details

Category	US10DE400020
Discount Schedule	0DE4
GTIN	785901635970

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Returnability</b>	No
----------------------	----

---

<b>Country of origin</b>	MX
--------------------------	----

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

---

<b>Nbr. of units in pkg.</b>	1
------------------------------	---

---

<b>Package 1 Height</b>	68.90 in (175 cm)
-------------------------	-------------------

---

<b>Package 1 Width</b>	30.20 in (76.7 cm)
------------------------	--------------------

---

<b>Package 1 Length</b>	18.31 in (46.5 cm)
-------------------------	--------------------

---

<b>Package weight(Lbs)</b>	330.001 lb(US) (149.686 kg)
----------------------------	-----------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	1288
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<p><b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a></p>

### Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No