

Product data sheet

Specifications

SQUARE D



Mini circuit breaker, QO, 15A, 1 pole, 120VAC, 10kA, plug in, high magnetic

QO115HM

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|-----------------------|-------------------------------|
| Product | Miniature circuit-breaker |
| Range | QO |
| Current Rating | 15 A |
| Voltage Rating | 120 V AC |
| Mounting Type | Plug-in |
| Number of Poles | 1P |
| Circuit Breaker Type | High magnetic |
| Ratings | HACR and Switching Duty rated |
| Electrical Connection | Pressure plate |

Complementary

| | |
|------------------------|------------------------------------|
| Interrupt Rating | 10 kA 120 V AC |
| Number of Panel Spaces | 1 |
| Wire Size | AWG 14...AWG 8 copper or aluminium |
| Tightening Torque | 35.4 lbf.in (4 N.m) |
| Height | 3.0 in (76 mm) |
| Width | 0.7 in (19 mm) |
| Depth | 2.9 in (74 mm) |
| Net Weight | 0.421 lb(US) (0.191 kg) |

Environment

| | |
|----------------|------------------|
| Certifications | UL Listed CSA |
| Ambient Rating | 104 °F (40 °C) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US1DE2A00004 |
| Discount Schedule | DE2A |
| GTIN | 785901400073 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|---------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 0.70 in (1.778 cm) |
| Package 1 Width | 2.90 in (7.366 cm) |
| Package 1 Length | 3.00 in (7.62 cm) |
| Package weight(Lbs) | 6.7 oz (191.0 g) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 3.30 in (8.382 cm) |
| Package 2 Width | 2.90 in (7.366 cm) |
| Package 2 Length | 7.70 in (19.558 cm) |
| Package 2 Weight | 2.760 lb(US) (1.252 kg) |
| Unit Type of Package 3 | CAR |
| Number of Units in Package 3 | 100 |
| Package 3 Height | 8.20 in (20.828 cm) |
| Package 3 Width | 7.00 in (17.78 cm) |
| Package 3 Length | 17.30 in (43.942 cm) |
| Package 3 Weight | 28.199 lb(US) (12.791 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 18

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic Yes

[EU RoHS Directive](#) Compliant

SCIP Number Af42fb01-813d-40c0-ae28-b8b3299dbc99

REACH Regulation [REACH Declaration](#)

Halogen content performance Halogen free product

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No