

Product data sheet

Specifications

SQUARE D



Circuit breaker, LA, 350A, 3 pole, 600VAC, 22kA, 250VDC, 10kA, lugs, thermal magnetic, short handle

LAL36350MB

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|------------------|
| Product or Component Type | Circuit breaker |
| Trip Unit Technology | Thermal-magnetic |

Complementary

| | |
|-----------------------------|--|
| Line Rated Current | 350 A |
| Number of Poles | 3P |
| Mounting Mode | Unit mount |
| Magnetic Hold Current | 1750 A |
| Magnetic Tripping Current | 3500 A |
| Operator | Short lever |
| Electrical connection | Lugs, load Lugs, line |
| Terminal identifier | AL400LA |
| Tightening torque | 115.06 lbf.in (13 N.m) 0.07...0.5 in ² (42...304 mm ²) (AWG 1...600 kcmil) 115.06 lbf.in (13 N.m) 0.07...0.2 in ² (42...127 mm ²) (AWG 1...250 kcmil) |
| Height | 11 in (279.4 mm) |
| Width | 6 in (152.4 mm) |
| Depth | 5.84 in (148.34 mm) |
| Circuit breaker application | HACR rated |

Environment

| | |
|----------------|-------------------------|
| Certifications | IEC CSA UL Listed |
|----------------|-------------------------|

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10DE200935 |
| Discount Schedule | 0DE2 |
| GTIN | 785901005520 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------|--------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 9.00 in (22.860 cm) |
| Package 1 Width | 11.50 in (29.210 cm) |
| Package 1 Length | 17.30 in (43.942 cm) |
| Package weight(Lbs) | 16.790 lb(US) (7.616 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

45160aaa-1457-439f-bca7-7bd5246ac23e

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Halogen content performance

Halogen free plastic parts product

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions

