

# Product data sheet

Specifications

SQUARE D



Branch unit, EZ Meter-Pak, 225A, 2 x 7 jaw sockets, 208Y/120VAC, lever bypass, ringless, 1200A Al/ Cu busbar

EZML332225

Product availability: Stock - Normally stocked in distribution facility

## Main

Product	Meter Center Branch Unit
Current Rating	225 A
Type	Meter-Pak
Bus Rating	1200 A
Number of Jaws	7 with jaw release
Number of Meter Sockets	2
Bypass Type	Lever bypass
Socket Type	Ringless

## Complementary

Certifications	UL Listed
Busbar Material	Aluminium/copper: busbar
Enclosure Material	Steel
Enclosure Rating	NEMA 3R
Maximum Voltage Rating	208Y/120 V AC 240/120 V delta AC
Mounting	Surface
Phase	3 phase in 3 phase out
Wire Configuration	4-wire
Height	39.06 in (992.12 mm)
Width	19.44 in (493.78 mm)
Depth	9.44 in (239.78 mm)

## Ordering and shipping details

Category	US10DE400020
Discount Schedule	0DE4
GTIN	785901343141
Returnability	Yes
Country of origin	MX

## Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	11.100 in (28.194 cm)
<b>Package 1 Width</b>	21.800 in (55.372 cm)
<b>Package 1 Length</b>	39.900 in (101.346 cm)
<b>Package weight(Lbs)</b>	132.000 lb(US) (59.874 kg)
<b>Unit Type of Package 2</b>	PAL
<b>Number of Units in Package 2</b>	6
<b>Package 2 Height</b>	40.000 in (101.600 cm)
<b>Package 2 Width</b>	40.000 in (101.600 cm)
<b>Package 2 Length</b>	48.000 in (121.920 cm)
<b>Package 2 Weight</b>	792.0003 lb(US) (359.245 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	770
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No