

# Product data sheet

Specifications

SQUARE D



Safety switch, heavy duty, fusible,  
800A, 4 wire, 3 pole, 1 neutral,  
250hp, 240VAC/250VDC, NEMA 1

H327N

Product availability: Stock - Normally stocked in distribution facility

## Main

Product	Single Throw Safety Switch
Duty Rating	Heavy duty
Device Application	Heavy application
Disconnect Type	Fusible disconnect
Factory Installed Neutral	Neutral (factory installed)
Number of Poles	3
Current Rating	800 A
Voltage Rating	250 V DC 240 V AC
Enclosure Rating	NEMA 1 steel
Motor power hp	50 hp at 240 V AC 50-60 Hz for 1 phase motors 100 hp at 240 V AC 50-60 Hz for 3 phase motors 250 hp at 240 V AC 50-60 Hz for 3 phase motors 50 hp at 250 V DC

## Complementary

Short-circuit current	200 kA maximum for L
Fuse type	L
Mounting Type	Surface
Electrical Connection	Lugs
Wiring configuration	4-wire (3PH + G)
Wire Size	AWG 3/0...750 kcmil copper or aluminium
Tightening torque	375 lbf.in (42.4 N.m) 0.13...0.6 in <sup>2</sup> (85.01...380 mm <sup>2</sup> ) (AWG 3/0...750 kcmil)
Depth	17.75 in (450.85 mm)
Width	36.62 in (930.15 mm)
Height	69.13 in (1755.90 mm)
Net Weight	373.02 lb(US) (169.2 kg)

## Environment

Certifications	UL listed file E2875
----------------	----------------------

## Ordering and shipping details

Category	US10DE100053
Discount Schedule	0DE1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>GTIN</b>	785901195375
<b>Returnability</b>	Yes
<b>Country of origin</b>	MX

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	73.80 in (187.452 cm)
<b>Package 1 Width</b>	30.00 in (76.200 cm)
<b>Package 1 Length</b>	38.00 in (96.520 cm)
<b>Package weight(Lbs)</b>	356.0005 lb(US) (161.479 kg)

---

## Contractual warranty

---

<b>Warranty</b>	18 months
-----------------	-----------

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 1095

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Halogen content performance Halogen free plastic parts product

PVC free Yes

## Use Again


### Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No


Dimensions Drawings

Approximate Dimensions



Technical Illustration


Dimensions



Technical Illustration

Wiring diagram

---



H327N  
H327NR  
H367N  
H367NR

REFER TO TECHNICAL DRAWINGS AND DOCUMENTS FOR COMPLETE INFORMATION.