OCTAVE

eBook

Closing the engineering loop

From complete diagram to
engineering deliverable with
Facets P&ID and Aspect Pressure Vessel



Contents

1	The gap	03
2	Where things break down	05
3	The breakdown	06
4	Real-world scenarios	08
5	The codes and standards	10
6	Closing the gap	11

A picture is worth a thousand words. But a P&ID without analysis? Just a picture. Facets P&ID and Aspect Pressure Vessel close the gap between process design and the real world.

P&IDs capture. They don’t confirm.

Defining a plant and designing its vessels are two sides of the same workflow—but what happens when they aren’t connected?

Every process plant begins with a Piping & Instrumentation Diagram. It’s the core document that defines the process system, including the equipment in it, how those pieces connect, what flows through them and the conditions they operate under.

A well-built P&ID will show you:

- Equipment numbers and vessel types (columns, separators, drums, reactors)
- Connected lines, nozzles and instrumentation
- Design pressures and temperatures
- Safety devices (pressure safety valves [PSV], rupture disks, interlocks)
- Process flow relationships between systems

It is, in every sense, the system of record for the plant.

Not every P&ID is created equal. A drawing produced in AutoCAD captures geometry, but it doesn’t capture intelligence. There’s no rules engine validating that a vessel tag is unique, no consistency check between connected lines and no central database tying instrumentation back to process conditions.

Octave Facets P&ID (formerly Smart P&ID) is different by design. It's the digital foundation for process and instrumentation data—rules-driven, consistent and auditable across the facility lifecycle. Vessel tags, nozzle definitions, line specs and operating conditions live in a single source of truth, not scattered across drawings and spreadsheets.

That matters for procurement (datasheets and vendor drawing reviews trace back to verified data), for design reviews (everyone is working from the same numbers) and for cross-discipline alignment (process, mechanical and piping engineers share one ground truth).

But there's a hard boundary to what a P&ID can do. It tells you that vessel V-101 exists, operates at 250 psi, 400°F and has three nozzles. **It does not—and cannot—tell you whether that vessel is structurally capable of handling those conditions safely, whether its wall thickness meets code, or whether those nozzle connections will hold under load.**

That determination belongs to mechanical engineering. And mechanical engineering requires a completely different set of calculations, code checks and documentation. The P&ID defines the problem. Mechanical design solves it. Most workflow gaps live in the space between.

Mechanical validation from P&ID data can only be as good as the process data it's built on. When that data is intelligent and structured from the start, the handoff to a pressure vessel analysis solution, like **Aspect Pressure Vessel** (formerly PV Elite), is cleaner, faster and far less prone to error.



The hidden cost of disconnected workflows

In practice, the handoff between process design and mechanical validation is one of the most error-prone steps in a complex project. Here's why.

Re-entry errors accumulate quietly. Vessel data—tag numbers, design conditions, nozzle schedules—is often transcribed by hand into a blank Aspect Pressure Vessel model, even when that same data already exists in Facets P&ID. The transcription is tedious, time-consuming and introduces errors that may not surface until too late in the review cycle to perfect the design. A transposed pressure value or a missed nozzle load can require days of rework to unwind. Reusing the data already captured in Facets P&ID, rather than re-typing it, eliminates that whole class of error.

Design revisions ripple without warning. Process conditions change throughout a project. A vessel that was rated at 200 psi in the preliminary P&ID may be revised to 275 psi after a revision in the process conditions by the process engineers. If the mechanical team isn't immediately aware of that change, or if they're working from a stale data sheet, the Aspect Pressure Vessel model drifts from the current process definition with the P&ID. By the time a discrepancy is caught, engineering time has been spent and rework has to be done. Worse, the vessel has been sent out to fabrication and work must be stopped in order to mitigate the change request, which may induce additional costs and slow down construction and installment.

Code compliance checks get rushed. When vessel design is disconnected from the upstream process data, mechanical engineers spend disproportionate time on data management rather than engineering. If the datasheet coming from the schematics team takes longer than the time allocated, then the engineers are going to be rushed. This increases risk of error. The actual code analysis—thickness checks, nozzle reinforcement, wind and seismic loading—gets compressed into less time than it deserves. This is where errors with real safety consequences can occur. Time is always counting down for an engineer to get the deliverable out the door.

Multi-discipline alignment suffers. On complex projects, process engineers, mechanical engineers and piping designers are often working simultaneously. When their tools don't share a common data source, alignment meetings become longer, markups multiply and the project schedule absorbs the cost.

What mechanical validation actually involves

Once a vessel appears on a P&ID, the mechanical engineering scope is substantial. Understanding what **Aspect Pressure Vessel** actually calculates helps clarify why connecting it to upstream process data matters so much.

Wall thickness and pressure containment

The most fundamental calculation in pressure vessel design is determining the minimum required wall thickness for a given design pressure and temperature. This isn't a simple formula—it depends on the material selected, the applicable code (ASME VIII Div. 1 or Div. 2, EN 13445, PD 5500, AD 2000), corrosion allowances and joint efficiencies. Aspect Pressure Vessel runs these calculations for every shell course, head and transition in the vessel and flags any element that falls below the minimum required thickness.

Nozzle design and reinforcement

Every nozzle on a vessel is a potential stress concentration point. Aspect Pressure Vessel evaluates each nozzle for area replacement (ensuring the metal removed by the opening is adequately compensated) and checks nozzle loads—the forces and moments imposed by connected piping—against allowable limits. Nozzle loads are often underestimated early in a project, and discovering an overloaded nozzle late in design can require the nozzle or the connected piping to be redesigned. This can lead to rework or schedule slips, which could be detrimental to the facility.

External pressure and vacuum conditions

Vessels operating under vacuum or external pressure are subject to buckling, not just rupture. The code calculations for external pressure are more complex than internal pressure checks and Aspect Pressure Vessel handles the full procedure, including ring stiffener design where required.

Wind and seismic loading

Tall vertical vessels—columns, towers, regenerators—must be evaluated for wind and seismic loads in addition to process pressure. Aspect Pressure Vessel applies the relevant building code loads (ASCE 7, UBC, NBC and others) and checks the vessel's base shear, overturning moment and anchor bolt requirements. These calculations are heavily dependent on site-specific data: wind speed, seismic zone, soil classification. When that data changes—as it often does when a project moves from FEED to detailed design—the vessel analysis must be rerun.

Fitness-for-service (API 579)

For existing vessels being evaluated for continued operation, repurposing or operation beyond original design conditions, Aspect Pressure Vessel supports API 579 fitness-for-service assessments. This is increasingly relevant as operators extend the life of aging infrastructure rather than replacing it—and it requires the same tight connection between current process conditions and mechanical analysis.

Fabrication documentation

The output of Aspect Pressure Vessel isn't just a pass/fail result—it's a complete set of calculation reports that become part of the vessel's permanent documentation. These reports are reviewed by third-party inspection bodies, stamped by engineers of record and retained for the life of the plant. The quality and completeness of this documentation directly affect fabrication timelines and regulatory approval.

*Understanding what **Aspect Pressure Vessel** calculates helps clarify why connecting it to upstream process data matters so much.*

Facets P&ID + Aspect Pressure Vessel: Two tools, one connected experience

A connected workflow from process definition to verified mechanical design

STARTS HERE

Facets P&ID *(formerly Smart P&ID)*

The authoritative source of process intent, definind every pipe connection, instrument and equipment relationship

- Defines nozzle connection points on vessels
- Captures line sizes, fluid types and conditions
- Drives all downstream design and analysis
- Single source of truth for the process

VERIFIES HERE

Aspect Pressure Vessel *(formerly PV Elite)*

Validates that pressure vessels and their nozzles can structurally withstand the loads defined by the process and piping

- Checks nozzle adequacy to ASME and international codes
- Evaluates nozzle loads against vessel shell capacity
- Flags design issues before fabrication
- Produces compliant engineering documentation

WHAT TRANSFERS

- Nozzle locations & orientations
- Line sizes & fluid conditions
- Design pressure & temperature
- Nozzle load acceptance criteria
- Code compliance status
- Vessel geometry feedback

WHY USE THEM TOGETHER

No manual re-entry.
Nozzle data flows directly from Facets P&ID to Aspect Pressure Vessel. No transcription errors, no duplicate data entry.

Catch issues earlier.
Nozzle conflicts are identified at the process design stage, not during detailed engineering or fabrication review.

Change propagation.
When the P&ID changes, Aspect Pressure Vessel reflects the update, keeping mechanical design in sync with process intent.

Code-backed confidence.
Every nozzle is verified against ASME, EN and other applicable codes using real process data, not conservative assumptions.

THE LOOP

Nozzle loads begin in the P&ID.

Facets P&ID defines where piping connects to vessels. Aspect Pressure Vessel confirms those connections are structurally sound.
Together, they close the gap between process definition and mechanical integrity, eliminating the risk of discovering problems after steel is cut.

Where the integration pays off

The situations change, but the advantage doesn't. Whether you're rerating an aging vessel, working a management of change or scoping a revamp, the work moves faster and cleaner when Facets P&ID and Aspect Pressure Vessel work together. The process team captures conditions in the P&ID, the mechanical team works from that same data rather than rebuilding it by hand — fewer handoffs, fewer transcription errors, one current picture across both.

Rerating of damaged pressure vessels

A process unit built decades ago is approaching the next round of inspections, and a set of pressure vessels needs to be rerated for continued service. Current operating conditions live in the site's P&IDs. The original mechanical calculations live in archived PDFs—some incomplete, some run against superseded code editions and some missing the back-up data needed to defend an inspection finding.

The mechanical integrity team rebuilds each vessel in Aspect Pressure Vessel against current code, using the design conditions already captured in Facets P&ID rather than rekeying them from paper drawings. The output is a complete, current calculation package per vessel that supports the recertification submittal and establishes a clean digital baseline for the next fitness-for-service cycle.

Management of change on an operating unit

A process change is approved on an existing unit—a new feedstock blend that shifts operating pressure and temperature on three reactors and a downstream separator. The process engineer updates the P&ID with the revised conditions. The MOC package now requires confirmation that each affected vessel can still operate safely under those new conditions.

Rather than tracking the change through a chain of emails and revised data sheets, the mechanical engineer works from the updated conditions in Facets P&ID and runs an Aspect Pressure Vessel re-check on each vessel. Wall thickness margins, nozzle loads and relief case adequacy are re-evaluated against current code. The MOC reviewer gets a complete technical package backed by the same data the process team is working from—no stale numbers, no parallel spreadsheets.

Revamp of an existing unit

A unit revamp increases throughput on a re-design of a process. Several vessels originally designed for lower pressures, and flow rates must be evaluated for the new conditions. The process team updates the P&ID with revised design conditions. The mechanical team needs to run API 579 fitness-for-service assessments on each affected vessel to determine whether they can operate safely under the new conditions or require modification.

Working from the updated P&ID data in Aspect Pressure Vessel ensures the assessments are run against current conditions rather than the original design basis. Vessels with adequate margin are confirmed for continued service under the new envelope. Vessels approaching their limits are flagged for modification or replacement, and the capital decision is backed by current code-compliant calculations rather than estimates.

What Aspect Pressure Vessel checks against

For engineers evaluating whether Aspect Pressure Vessel covers their jurisdiction and project requirements, here is the list of available codes:

Pressure Vessel Design codes

- ASME Section VIII Division 1: the dominant standard for unfired pressure vessels in North American projects
- ASME Section VIII Division 2: alternative rules for higher-pressure or weight-critical applications, allowing thinner walls with more rigorous analysis
- EN 13445: the European unfired pressure vessel standard, required for CE-marked vessels
- PD 5500: the UK specification for unfired fusion-welded pressure vessels
- API 650 / API 620 / EN 14015: atmospheric and low-pressure storage tanks
- AD2000: for the design of pressure vessels in Germany
- TEMA: heat exchanger design code

Fitness-for-service

API 579-1 / ASME FFS-1: the standard for fitness-for-service assessments of in-service pressure vessels and piping

Material standards

- Full ASME Section II material database, including allowable stresses at temperature, impact test requirements and MDMT determination
- Relevant EN Material Standards

For more codes, check out our Aspect Pressure Vessel FAQ.

From diagram to deliverable

When process definition and mechanical validation are properly connected, the full engineering lifecycle becomes coherent rather than fragmented.

Using Facets P&ID and Aspect Pressure Vessel together enables a complete workflow that lets organizations efficiently:

- **Define the plant with Facets P&ID:** process topology, equipment tags, instrumentation
- **Design the equipment:** wall thickness, ratings, nozzle geometry
- **Validate safety and compliance with Aspect Pressure Vessel:** ASME, EN, API codes with full audit trail
- **Respond to change:** process revisions feed mechanical models eliminating manual re-entry
- **Deliver fabrication-ready documents:** accepted by inspectors, ready for the shop floor

A P&ID captures intent: what should be there, what should connect, what conditions should hold. What it can't do is prove that any of it is safe to build, safe to operate or continue operating as conditions evolve. That proof lives in mechanical analysis, and it's where Facets P&ID and Aspect Pressure Vessel work together. Facets P&ID holds the process truth: vessel tags, nozzle definitions, operating conditions and the rules-driven consistency that makes that data trustworthy. Aspect Pressure Vessel turns that truth into code-compliant mechanical design, including wall thickness, nozzle loads, wind and seismic loading, fitness-for-service and fabrication-ready documentation.

The gap between process definition and mechanical validation is a workflow question first and a software question second. Reusing the data already captured in Facets P&ID inside the tool built to analyze it is how that loop closes.

Success doesn't wait. Octave doesn't either. We're ready to help your operations get better, faster and more efficient.

Ready to close the gap?

Connect with the Octave team to make it happen.

Connect

About Octave

Octave is a leader in enterprise software, turning data into decisive action and intelligence into your edge. Our software solves for and simplifies complexity, from the design and build to operations and protection of people, property, and assets– for any scope, at any scale. For decades, we've partnered with customers to sharpen performance, elevate efficiency, and amplify results. From factory floors to entire cities, our solutions are tuned to scale up what's possible from day one onward.

©2026 Intergraph Corporation and/or its affiliates. All rights reserved.



OCTAVE